Food and Drug Administration, HHS

lilium used to produce the glutamic acid.

- (b) It is used or intended for use as follows:
- (1) In poultry feed as a source of protein in an amount not to exceed 5 percent of the total ration.
- (2) In cattle feed as a source of protein in an amount not to exceed 10 percent of the feed.
- (c) In order to assure safe use, the label and labeling of the additive shall bear, in addition to the other information required by the Act, the following:
 - (1) The name of the additive.
- (2) A statement of the concentration of the additive contained in any mixture
 - (3) Adequate directions for use.

§ 573.520 Hemicellulose extract.

Hemicellulose extract may be safely used in animal feed when incorporated therein in accordance with the following conditions:

- (a) The additive is produced from the aqueous extract obtained by the treatment of wood with water at elevated temperatures (325 degrees-535 degrees F) and pressure (80 to 900 pounds per square inch) and contains primarily pentose and hexose sugars.
- (b) The additive may be used in a liquid or dry state with the liquid product containing not less than 55 percent carbohydrate and the dry product containing not less than 84 percent carbohydrate.
- (c) The additive is used as a source of metabolizable energy in animal feed in accordance with good manufacturing and feeding practices.
- $[41\ FR\ 38652,\ Sept.\ 10,\ 1976,\ as\ amended\ at\ 43\ FR\ 11181,\ Mar.\ 17,\ 1978]$

§ 573.530 Hydrogenated corn syrup.

- (a) *Identity*. The product is produced by hydrogenation of corn syrup over a nickel catalyst.
- (b) Specifications. The product contains 70 percent hydrogenated corn syrup and a maximum of 0.5 percent reducing sugars.
- (c) *Uses*. The product is used as a humectant and plasticizer in preparation of soft-moist dog and cat foods.
- (d) *Limitations*. The product is preferably stored in a closed, stainless steel or aluminum container. The level

of use of the product shall not exceed 15 percent of the total weight of the pet food formulation.

- (e) *Labeling*. The labeling shall bear, in addition to other information required by the Act:
 - (1) The name of the additive.
- (2) Adequate directions for use in accordance with the provisions in paragraph (d) of this section.

[45 FR 22920, Apr. 4, 1980]

§ 573.540 Hydrolyzed leather meal.

- (a) *Identity*. Hydrolyzed leather meal is produced from leather scraps that are treated with steam for not less than 33 minutes at a pressure of not less than 125 pounds per square inch.
- (b) *Specifications*. The additive shall conform to the following percent-by-weight specifications:

Moisture, not less than 5 percent nor more than 10 percent.

Crude protein, not less than 60 percent. Crude fat, not less than 5 percent. Crude fiber, not more than 6 percent. Chromium, not more than 2.75 percent.

- (c) *Use.* It is used or intended for use as a source of protein in swine feeds in an amount not to exceed 1.0 percent by weight of the finished feed.
- (d) Labeling. The labels and labeling shall bear, in addition to the other information required by the Act:
- (1) The name of the additive, hydrolyzed leather meal.
- (2) Adequate directions to provide finished feeds complying with paragraph (c) of this section.

§ 573.560 Iron ammonium citrate.

Iron ammonium citrate may be safely used in animal feed in accordance with the following prescribed conditions:

- (a) The additive is the chemical green ferric ammonium citrate.
- (b) The additive is used or intended for use as an anticaking agent in salt for animal consumption so that the level of iron ammonium citrate does not exceed 25 parts per million (0.0025 percent) in the finished salt.
- (c) To assure safe use of the additive the label or labeling of the additive shall bear, in addition to the other information required by the Act:
- (1) The name of the additive.